











30⁺ YEARS

Manufacturing Factory with 30 years experience in production PPR,PEX & PE piping system;

IFAN, High quality keep different certificates;

IFAN, With international foreign trade team;

IFAN Core Value: Be responsible to society; Be responsible to users; Be responsible to enterprises; Be responsible to ourselves!





Ifan[®] factory

- PPR Pipe Line: 20+
- Floorheating Pipe: 10+
- CNC Machine: 500+
- PPR Injection Machine: 100+
- Aluminium Composite Pipe: 20+



IFAN's customer service & IFAN's professional team

IFAN's customer service

IFAN strives for excellence in customer service. The IFAN team is always customer centric and constantly strives to meet customers' needs and expectations. We actively listen to our customers' opinions and suggestions, and constantly improve our products and services based on their feedback to provide the best quality solutions.

IFAN's professional team

Teamwork is the cornerstone of IFAN Pipeline's success. We are proud of unity, collaboration and struggle, and firmly believe that only through team efforts and cohesion can we constantly surpass ourselves and provide customers with excellent solutions.







PEX&PE-RT PIPES

Size:16,18,20,25,26,32mm PEX PIPES Size:20mm-160mm

Pressure: PN16

Applications: Drinking Water

Cold & Hot





Pipes size range:



PEXb-AL Stabi

Size(MM)	PACKING
16.2	x2.6	100m/200m/500m
20x	2.9	100m/200m
25x	3.7	100m/50m
32x	4.7	100m/50m
40x	6.0	100m/50m



80004

PEXa pipes

All the state of t	
Size(MM)	PACKING
16x2.0	100m/200m/500m
16x2.2	100m/200m/500m
20x2.0	100m/200m/300m
20x2.8	100m/200m
25x3.5	100m/50m
32x4.4	100m/50m

Pipes size range:



PEXb

Size(MM)	PACKING
16x2.0	100m/200m/500m
16x2.2	100m/200m/500m
20x2.0	100m/200m/300m
20x2.8	100m/200m
25x3.5	100m/50m
32x4.4	100m/50m



PEXb-EVOH

Size(MM)	PACKING
16x2.0	100m/200m/500m
16x2.2	100m/200m/500m
20x2.0	100m/200m/300m
20x2.8	100m/200m
25x3.5	100m/50m
32x4.4	100m/50m

Pipes size range:



PEX-AL-PEX

, . ,	
Size(MM)	PACKING
16x2.0	100m/200m/500m
16x2.2	100m/200m/500m
20x2.0	100m/200m/100m
20x2.8	100m/200m
25x3.5	100m/50m
32v4 4	100m/50m



80008

PEXc-EVOH

Size(MM)	PACKING
16x2.0	100m/200m/500m
16x2.2	100m/200m/500m
20x2.0	100m/200m/300m
20x2.8	100m/200m
25x3.5	100m/50m
32x4.4	100m/50m

Pipes size range:



PERT

LLIVI	
Size(MM)	PACKING
16x2.0	100m/200m/500m
16x2.2	100m/200m/500m
20x2.0	100m/200m/300m
20x2.8	100m/200m
25x3.5	100m/50m
32x4 4	100m/50m



PERT-EVOH

Size(MM)	PACKING
16x2.0	100m/200m/500m
16x2.2	100m/200m/500m
20x2.0	100m/200m/300m
20x2.8	100m/200m
25x3.5	100m/50m
32x4.4	100m/50m







HVAC PRODUCTS

Size:16,18,20,25,26,32mm

PEX PIPES Size:20mm-160mm

Pressure:PN16

Applications: Drinking Water

Cold & Hot













































































BRASS FITTINGS

Size:1/2"-2"

Applications: Drinking Water

Cold & Hot













































































PEX PIPE FITTINGS

Size:16,18,20,25,26,32mm PEX PIPES Size:20mm-160mm

Pressure:PN16

Applications: Drinking Water

Cold & Hot





































































































PEX & BRASS & PPSU PRODUCTS

Size:16,18,20,25,26,32mm PEX PIPES Size:20mm-160mm

Pressure:PN16

Applications: Drinking Water

Cold & Hot









































































































BRASS VALVES

Brass Standard:57% Cooper Content Size:1/2"-2"

Applications: Drinking Water

Cold & Hot







































































































BRASS TAPS

Brass Standard:57% **Cooper Content** Size:1/2"-3/4"

Applications: Drinking Water

Cold & Hot









PPR PRODUCTS

Pipe Size: 20mm:110mm Pressure: PN12.5-PN25 Fittings Size:20mm-110mm

Pressure: PN25

Connector: Welding.

Applications: Drinking Water

Cold & Hot















































CPVC & PRODUCTS

Size: 1/2"-4" Pressure: PN16 Applications: Drinking Water

Cold & Hot



IFAN°



- **☑** Corrosion resistance
- **▼** Easy installation
- ✓ Fire resistant

- Migh strength
- Suitable for industrial environments
- Preservative
- Migh fluid efficiency





- Preservative
- ✓ long life
- Mon-toxic materials





PE&PP PRODUCTS

Size:20mm-110mm Pressure: PN16

Connector: Welding.

Applications: Drinking Water

Cold & Hot



PP PRUDUCT













PP 601

























PP 602

























PP 603

























PP 604

















PPH PRODUCTS

Size:1/2"-2"

Applications: Drinking Water

Cold & Hot



PPH (701)





































PPH (702)

























PPH (703)





























UPVC & PRODUCTS

Size: 1/2"-4" Pressure: PN16 **Applications: Drinking Water**

Cold & Hot



















TOOLS

PTFE TEFLON Size:10m-30m

Max Degree:-190-260

CPIPE CUTTER Size: 20mm-110mm

WELDING MACHINE Size: 20mm-110mm

Applications: Drinking Water

Cold & Hot

Color Availlable: All Customizable,

Such as Green, White, Grey, Blue















































































































WALL POSTER

Advanced Plumbing System













DOOR ADVERTISING

IFAN Protect Health and Safety



PEN ADVERTISEMENT

Advanced Plumbing System



T-SHIRT

IFAN Protect Health and Safety







PACKAGING BAGS

Advanced Plumbing System







NOTEBOOK

IFAN Protect Health and Safety



VARIOUS CAR STICKER ADVERTISEMENTS

IFAN Protect Health and Safety















GUARANTEE LETTER Dear our partner

Thank you for your choose "Ifan" Brand Products, We wish you can open the market with "Ifan" Brand Products and get win in your market. Our factory give you 50 years for guarantee for "Ifan" Brand Products.

THOMAS WANG Sales manager

Mob:0086-19884503412 Fax:0086-575-8766 0899 E-mail:sales18-ifan@ifangroup.com http://www.ifanplus.com

Zhejiang Ifan Piping Co.LTD.

Add: 18 Xiaguang Road, zhejiang, China



